



Forklift cotton clip, flat grip clip, waste paper bag clip

Factory direct sales can customize various models




Rotary soft-clamp

model	carrying capacity @ load center (kg@mm)	Installation Class ISO	Shoulder range of motion ITI (mm)	brachium L (mm)	Arm height C (mm)	Arm thickness T (mm)	width B (mm)	altitude H (mm)	Vertical center of gravity VCG (mm)	Loss of load capacity ET (mm)	Horizontal center of gravity HCG (mm)	conduct oneself with dignity (kg)
BCR-20D-01B	1900@500	II	450-1730	991	415	70	1040	775	335	221	300	640
BCR-20D-01C	1900@500	III	450-1730	991	415	70	1040	775	335	221	300	640
BCR-20D-02B	1900@500	II	440-1730	1194	415	70	1040	775	335	221	368	683
BCR-20D-02C	1900@500	III	440-1730	1194	415	70	1040	775	335	221	368	683
BCR-30D-01B	2700@500	II	550-1900	991	460	75	1015	775	335	236	328	772
BCR-30D-01C	2700@500	III	550-1900	991	460	75	1015	775	335	279	366	788
BCR-30D-02B	2700@500	II	550-1900	1194	460	75	1015	775	335	236	396	835
BCR-30D-02C	2700@500	III	560-1905	1194	460	75	1015	775	335	279	432	854



Enhanced soft encapsulation

model	carrying capacity @ (kg@m)	Installation Class ISO	Shoulder range of motion ITI (mm)	brachium L (mm)	Arm height C (mm)	Arm thickness T (mm)	width B (mm)	altitude H (mm)	Vertical center of gravity VCG (mm)	Loss of load capacity ET (mm)	Horizontal center of gravity HCG (mm)	conduct oneself with dignity (kg)
BCS-30G-01B	3000@500	II	460-2330	460	1200	75	1680	740	250	150	300	750
BCS-30G-01C	3000@500	III	460-2330	460	1200	75	1680	740	250	150	300	750
BCS-30G-02B	3000@500	II	460-2330	460	1000	75	1680	740	250	150	300	730
BCS-30G-02C	3000@500	III	460-2330	460	1000	75	1680	740	250	150	300	730
BCS-30G-03B	3000@500	II	585-2000	460	1200	75	1265	740	250	150	345	625
BCS-30G-03C	3000@500	III	585-2000	460	1200	75	1265	740	250	150	345	625
BCS-30G-04B	2800@500	II	815-2230	460	1200	75	1330	740	250	150	345	730
BCS-30G-04C	2800@500	III	815-2230	460	1200	75	1330	740	250	150	345	730
BCS-30G-05B	3000@500	II	520-1870	460	1200	75	1130	740	250	150	345	620
BCS-30G-05C	3000@500	III	520-1870	460	1200	75	1130	740	250	150	345	620



Lateral-shifting soft-clamping device

model	carrying capacity @ load center (kg@mm)	Installation Class ISO	Shoulder range of motion IT1 (mm)	brachium L (mm)	Arm height C (mm)	Arm thickness T (mm)	width B (mm)	altitude H (mm)	Vertical center of gravity VCG (mm)	Loss of load capacity ET (mm)	Horizontal center of gravity HCG (mm)	conduct oneself with dignity (kg)
BCS-20D-01B	1900@500	II	450-1730	991	415	70	1040	665	220	127	315	422
BCS-20D-01C	1900@500	III	450-1730	991	415	70	1040	665	220	127	315	422
BCS-20D-02B	1900@500	II	450-1730	1194	415	70	1040	665	220	127	401	465
BCS-20D-02C	1900@500	III	450-1730	1194	415	70	1040	665	220	127	401	465
BCS-20D-03B	1900@500	II	455-1735	685	415	70	1040	665	220	127	203	350
BCS-20D-04B	1900@500	II	455-1735	785	415	70	1040	665	220	127	239	377
BCS-20D-05B	1900@500	II	450-1730	915	415	70	1040	665	220	127	307	418
BCS-30D-01B	2700@500	II	550-1900	991	460	75	1015	730	255	142	315	556
BCS-30D-01C	2700@500	III	550-1900	991	460	75	1015	730	255	150	312	579
BCS-30D-02B	2700@500	II	550-1900	1194	460	75	1015	730	255	142	396	624
BCS-30D-02C	2700@500	III	550-1900	1194	460	75	1015	730	255	150	391	640
BCS-30D-03C	2700@500	III	490-2300	990	460	75	1600	730	255	150	240	710
BCS-30D-04C	2200@500	III	490-2300	1194	460	75	1600	730	255	150	240	730

Note:

1. The actual carrying capacity of the forklift and accessories obtained from the forklift manufacturer.
2. Forklifts require two additional sets of oil circuits.
3. Arm thickness "T" refers to the spatial dimension required for actual operation, which is different from the thickness of the actual arm plate.
4. The above types are standard types. If there are special requirements, please contact the sales personnel.

*Homsun Machinery Equipment Co., Ltd is a [professional manufacture](#) specializing in the R &D and producing of [electric scissor lift](#) , [electric forklift](#), [mobile yard ramp](#) and [motorised pallet truck](#) high-quality hardware accessories. Established in 2016, we have over ten years of experience in the industry, dedicated to providing comprehensive solutions of carrying and lifting for all different industries.

*We are the source manufacturer and can also customize various types of forklifts according to customer needs.

*If needed, you can consult customer service.

Official website:<https://www.homsunlift.com>

WhatsApp/Wechat ID:+8613680275183

Email:sandy519@foxmail.com