

Forklift attachments: Round wood clip, waste paper clip, Dual cylinder clamp/Tipping Waste Grab

Factory direct sales can customize various models


model	Installation Class	Number of rake claws	Rake claw width (RW) mm	Beam width A MM	Maximum vertical spacing: MAX.c mm	carrying capacity kg	Suitable for forklifts t
30-a	III	3	1300	1500	2482	3000	3-3.5
30-b	III	4	1300	1500	2482	3000	3-3.5

Remarks:

1. The forklift is required to be fitted with 2 sets of oil circuits.
2. Price does not include fork tines; they can be added as required.
3. For other tonnage attachments, please contact us.


Structural Features:

- * Double-cylinder tipping, double-cylinder clamping; available with 3-tine or 4-tine grabbing tines.
- *Suitable for efficient and economical handling and stacking operations without pallets.
- *Wea-resistant bushing added at the tipping shaft.
- *Adopts high-cost integrated cylinder block & piston rod oil cylinders, high stability and long service life.



Structural line diagram

The meaning of accessory installation level



Installation level	II	III	IV	V
Rated lifting capacity of forklift (kg)	1000-2500	2501-4999	5000-8000	8001-10999

*Homsun Machinery Equipment Co., Ltd is a [professional manufacture](#) specializing in the R &D and producing of [electric scissor lift](#) , [electric forklift](#), [mobile yard ramp](#) and [motorised pallet truck](#) high-quality hardware accessories. Established in 2016, we have over ten years of experience in the industry, dedicated to providing comprehensive solutions of carrying and lifting for all different industries.

*We are the source manufacturer and can also customize various types of forklifts according to customer needs.

*If needed, you can consult customer service.

Official website:<https://www.homsunlift.com>

WhatsApp/Wechat ID:+8613680275183

Email:sandy519@foxmail.com

Related product recommendations:

[Oil Drum Dumping](#)

[Forklift Push-Pull](#)

[Small tonnage rack](#)

[Side shifter belt](#)